

**WEEK 3**  
**18/09/2019**

**12. Pulvis analgeticus**

(Pulv. analg.)

**FoNo VII.**

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Coffeinum	0.50 g	Coffeinum
Noraminophenazonum natrium mesylicum	4.50 g	Metamizolum natricum

for 10 divided powders

**Labeling:** In case of pain, take 1 powder, maximum 6 times daily.

**Expiration:** 6 months

**Indication:** Analgeticum.

**13. Pulvis antidoloricus (full dose)**

(Pulv. antidolor.)

**FoNo VII.**

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Aethylmorphinium chloratum	0.20 g	Ethylmorphini hydrochloridum
Coffeinum	0.50 g	Coffeinum
Paracetamolium	3.00 g	Paracetamolium
Acidum acetylsalicylicum	5.00 g	Acidum acetylsalicylicum

for 10 divided powders

**Labeling:** In case of pain, take 1 powder 2-3 times daily.

**Expiration:** 6 months

**Indication:** Analgeticum.

**14. Pulvis antimigrainicus****FoNo VII.**

(Pulv. antimigrain.)

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Papaverinium chloratum	0.40 g	Papaverini hydrochloridum
Coffeinum	0.60 g	Coffeinum
Noraminophenazonum natrium mesylicum	4.00 g	Metamizolum natricum

for 10 divided powders

**Labeling:** If necessary, take 1 powder, maximum 6 times daily.**Expiration:** 6 months**Indication:** Antimigrainicum.**15. Pulvis combinatus (full dose)****FoNo VII.**

(Pulv. combinat.)

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Coffeinum	0.50 g	Coffeinum
Noraminophenazonum natrium mesylicum	3.50 g	Metamizolum natricum
Acidum acetylsalicylicum	3.50 g	Acidum acetylsalicylicum
Acidum silicicum colloidal hydrophyllum	0.50 g	Silica colloidalis anhydrica

for 10 divided powders

**Labeling:** If necessary, take 1-3 powders daily after meal.**Expiration:** 1 months**Indication:** Analgeticum. Antipyreticum.**16. Pulvis theophyllini compositus****FoNo VII.**

(Pulv. theophyllin. comp.)

Name (Ph. Hg. VII.)	full dose	Name (Ph. Hg. VIII.)
Aethylmorphinium chloratum	0.10 g	Ethylmorphini hydrochloridum
Theophyllinum	1.00 g	Theophyllinum
Glucosum anhydricum	5.00 g	Glucosum anhydricum

for 10 divided powders

**Labeling:** Take 1 powder, 3 times daily.**Expiration:** 6 months**Indication:** Vasodilatator. Bronchospasmolyticum. Antitussivum.

## **17. Eleosaccharum anaestheticum (full dose) magistral prep.**

<b>Name (Ph. Hg. VII.)</b>	<b>full dose</b>	<b>Name (Ph. Hg. VIII.)</b>
Saccharosum	4.00 g	Saccharum
Aetheroleum menthae piperitae	gtt 1	Menthae piperitae aetheroleum
Aetheroleum thymi	gtt 1	Thymi aetheroleum
Benzocainum	0.40 g	Benzocainum
Natrium tetraboricum	0.40 g	Borax

for 10 divided powders

**Labeling:** Take 1 powder without water, 3-5 times daily.

**Expiration:** To be made when ordering.

**Indication:** Analgeticum.